

**Technical information and parameters for solid fuel local space heaters  
according to Regulation (EC) 2015/1185 and Regulation (EC) 2015/1186  
(PRODUCT INFORMATION SHEET)**

Manufacturer: Victoria-05 Ltd.											
Model identifier(s): <b>Parma SL, Parma L, Parma</b>											
Harmonized standard: БДС EN 16510-2-1:2023											
Intended use: Freestanding roomheater for intermittent burning with firedoors closed.											
Notified laboratory: Kontrol 94 Ltd., 2 Mladost Str., 5100 Gorna Oryahovitsa, Republic of Bulgaria, NB1879											
Test report: 1879 AoP-HD-0030 27.10.2025 / NB 1879-K-13-2023 05.07.2023											
<b>Observe the specific installation and service instructions specified in the instruction manual, as well as applicable national and local regulations!</b>											
Indirect heating functionality: <b>[no]</b>											
Direct heat output: 5,2 kW											
Indirect heat output:											
Fuel	Preferred fuel (only one):	Other suitable fuel(s)	$\eta_s$ [x%]:	Space heating emissions at nominal heat output(*)				Space heating emissions at minimum heat output(*)(**)			
				PM	OGC	CO	NO <sub>x</sub>	PM	OGC	CO	NO <sub>x</sub>
				[x] mg/Nm <sup>3</sup> (13 % O <sub>2</sub> )				[x] mg/Nm <sup>3</sup> (13 % O <sub>2</sub> )			
Wood logs with moisture content ≤ 25 %	<b>[yes]</b>	[no]	<b>79</b>	<b>36</b>	<b>75</b>	1001	102				

<b>Characteristics when operating with the preferred fuel only</b>							
Energy Efficiency Index (EEI):119							
Energy Efficiency Class: A+							
Item	Symbol	Value	Unit	Item	Symbol	Value	Unit
Heat output				Useful efficiency (NCV as received)			
Nominal heat output	$P_{nom}$	<b>5,2</b>	kW	Useful efficiency at nominal heat output	$\eta_{th, nom}$	<b>89,19</b>	%
Minimum heat output (indicative)	$P_{min}$	[N.A.]	kW	Useful efficiency at minimum heat output (indicative)	$\eta_{th, min}$	[N.A.]	%

Auxiliary electricity consumption				Type of heat output/room temperature control (select one)			
At nominal heat output	$e_{l_{max}}$	[N.A.]	kW	single stage heat output, no room temperature control	<b>[yes]</b>		
At minimum heat output	$e_{l_{min}}$	[N.A.]	kW	two or more manual stages, no room temperature control	[no]		
In standby mode	$P_{sb}$	[N.A.]	kW	with mechanic thermostat room temperature control	[no]		
				with electronic room temperature control	[no]		
				with electronic room temperature control plus day timer	[no]		
				with electronic room temperature control plus week timer	[no]		

				<b>Other control options (multiple selections possible)</b>		
				room temperature control, with presence detection	[no]	
				room temperature control, with open window detection	[no]	
				with distance control option	[no]	
<b>Permanent pilot flame power requirement</b>						
Pilot flame power requirement (if applicable)	$P_{pilot}$	[N.A.]	kW			
Contact details:	<b>Victoria-05 Ltd.</b> 1B Ivan Momchilov Str. 5100 Gorna Oryahovitsa Republic of Bulgaria e-mail: <a href="mailto:info@v05.bg">info@v05.bg</a> <a href="http://www.v05.bg">http://www.v05.bg</a>					

(\*) PM = particulate matter, OGCs = organic gaseous compounds, CO = carbon monoxide, NOx = nitrogen oxides

(\*\*) Only required if correction factors F(2) or F(3) are applied.

27.10.2025  
Gorna Oryahovitsa

Manager: .....  
(Dimitar Nenov)